

**Table 6** Weighted frequencies of men's sexual behaviors by relationship status, stratified by age

		Relationship status																
		Single					Partnered					Married						
Age	N	Not in past year	A few times per year to monthly	A few times per month to weekly	2-3 times per week	≥4 times per week	Not in past year	A few times per year to monthly	A few times per month to weekly	2-3 times per week	≥4 times per week	Not in past year	A few times per year to monthly	A few times per month to weekly	2-3 times per week	≥4 times per week		
		% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)	% Engaging in behavior (95% CI)		
<b>Masturbation (solo)</b>																		
18-24	139	15.1% (10.0%–22.1%)	15.1% (10.0%–22.1%)	23.0% (16.8%–30.7%)	22.3% (16.1%–30.0%)	24.5% (18.0%–32.3%)	97	16.5% (10.3%–25.2%)	21.6% (14.5%–30.9%)	26.8% (10.0%–36.4%)	20.6% (13.7%–29.8%)	14.4% (8.7%–22.7%)	23	52.2% (33.0%–70.8%)	8.7% (1.2%–28.0%)	30.4% (15.4%–51.1%)	8.7% (1.2%–28.0%)	0.0% (–2.6%–16.9%)
25-29	74	9.5% (4.4%–18.5%)	6.8% (2.6%–15.2%)	31.1% (21.7%–42.4%)	23.0% (14.8%–33.8%)	29.7% (20.5%–41.3%)	49	10.2% (4.0%–22.2%)	12.2% (5.4%–24.6%)	28.6% (17.8%–42.5%)	20.4% (11.3%–33.8%)	28.6% (11.8%–42.5%)	20	20.5% (15.5%–27.5%)	18.1% (13.4%–23.9%)	22.9% (17.7%–29.0%)	23.8% (18.5%–30.0%)	14.8% (10.6%–20.2%)
30-39	91	15.4% (9.3%–24.3%)	11.0% (5.9%–19.2%)	31.9% (23.2%–42.0%)	26.4% (18.4%–36.3%)	15.4% (9.3%–24.3%)	74	14.9% (8.3%–24.9%)	14.9% (8.3%–24.9%)	28.4% (19.3%–39.6%)	23.0% (14.8%–33.8%)	18.9% (11.5%–29.4%)	227	23.8% (18.7%–29.8%)	23.3% (18.3%–29.3%)	24.7% (19.5%–30.7%)	17.6% (13.2%–23.1%)	10.6% (7.2%–15.3%)
40-49	171	9.9% (6.2%–15.4%)	20.5% (15.1%–27.2%)	28.7% (22.4%–35.9%)	18.13% (13.0%–24.6%)	22.8% (17.1%–29.7%)	87	31.0% (22.3%–41.4%)	16.1% (9.7%–25.3%)	19.5% (12.5%–20.2%)	18.4% (11.5%–27.9%)	14.9% (8.8%–24.0%)	241	31.5% (26.0%–37.7%)	20.7% (16.1%–26.3%)	24.5% (19.5%–30.3%)	15.4% (11.3%–20.5%)	7.9% (5.0%–12.0%)
50-59	193	21.8% (16.5%–28.1%)	17.6% (12.9%–23.6%)	28.0% (22.1%–34.7%)	22.8% (17.4%–29.2%)	9.8% (6.3%–14.9%)	83	31.3% (22.3%–42.0%)	22.9% (15.1%–33.1%)	28.9% (20.2%–39.5%)	12.0% (6.5%–21.0%)	4.8% (1.5%–12.1%)	175	33.1% (26.6%–40.4%)	32.6% (26.1%–39.8%)	16.6% (11.7%–22.8%)	14.3% (9.8%–20.3%)	3.4% (1.4%–7.4%)
60-69	80	36.3% (26.6%–47.2%)	21.3% (13.6%–31.5%)	20.0% (12.6%–30.1%)	15.0% (8.6%–24.6%)	7.5% (3.2%–15.7%)	44	38.6% (25.7%–53.4%)	36.4% (23.7%–51.2%)	6.8% (1.7%–18.9%)	7.5% (6.0%–27.1%)	4.5% (0.4%–16.0%)	191	40.3% (33.6%–47.4%)	30.9% (24.8%–37.8%)	19.9% (14.8%–26.2%)	7.3% (4.3%–12.0%)	1.6% (0.3%–4.7%)
70+	40	42.5% (28.5%–57.8%)	25.0% (14.0%–40.4%)	22.5% (12.1%–37.7%)	7.5% (1.9%–20.6%)	2.5% (–3.7%–14.0%)	19	36.8% (19.0%–59.1%)	15.9% (4.7%–39.4%)	10.5% (1.7%–32.6%)	36.8% (19.0%–59.1%)	0.0% (–3.0%–10.8%)	119	61.3% (52.4%–69.6%)	23.5% (16.8%–31.9%)	10.9% (5.4%–17.9%)	2.5% (0.5%–7.5%)	1.7% (0.1%–6.3%)
<b>Vaginal intercourse</b>																		
18-24	137	56.9% (48.6%–64.9%)	13.9% (9.0%–20.7%)	19.0% (13.2%–26.4%)	8.0% (4.4%–13.9%)	2.2% (0.5%–6.5%)	100	26.0% (18.4%–35.4%)	8.0% (3.9%–15.2%)	30.0% (21.9%–39.6%)	26.0% (18.4%–35.4%)	10.0% (5.3%–17.5%)	24	4.2% (–0.9%–21.9%)	12.5% (3.5%–31.8%)	16.7% (9.1%–36.5%)	45.8% (27.9%–64.9%)	20.8% (8.8%–40.9%)
25-29	73	46.6% (35.6%–67.9%)	21.9% (13.9%–32.8%)	27.1% (19.4%–30.6%)	4.1% (0.9%–11.9%)	0.0% (–1.0%–6.0%)	48	20.8% (11.5%–34.4%)	10.4% (4.1%–22.6%)	36.4% (23.4%–49.6%)	27.1% (15.5%–41.1%)	6.3% (1.5%–17.5%)	205	1.6% (0.3%–4.4%)	9.3% (5.9%–14.1%)	46.3% (38.6%–53.2%)	37.1% (30.8%–43.9%)	5.9% (3.3%–10.0%)
30-39	91	39.6% (30.1%–49.8%)	24.2% (16.5%–34.0%)	23.1% (15.6%–32.8%)	1.7% (3.5%–15.3%)	5.5% (2.1%–12.5%)	77	15.6% (9.0%–25.5%)	5.5% (2.5%–14.7%)	32.5% (23.0%–43.6%)	39.0% (28.8%–50.1%)	6.5% (2.5%–14.7%)	224	4.5% (2.3%–8.1%)	15.6% (11.4%–21.0%)	26.8% (40.9%–63.9%)	5.8% (21.4%–33.0%)	3.3% (3.3%–9.8%)
40-49	174	48.9% (41.5%–56.2%)	18.4% (13.3%–24.8%)	22.4% (16.8%–29.2%)	8.0% (4.8%–13.1%)	2.3% (0.7%–6.0%)	87	29.9% (21.2%–40.2%)	9.2% (4.5%–17.3%)	24.1% (16.3%–34.2%)	25.3% (17.3%–35.4%)	11.5% (5.2%–20.1%)	211	9.1% (6.1%–13.5%)	16.2% (12.0%–21.4%)	51.0% (44.8%–57.3%)	19.9% (15.3%–25.4%)	3.7% (1.9%–7.0%)
50-59	189	67.7% (60.8%–74.0%)	14.9% (10.4%–20.6%)	11.6% (7.8%–17.1%)	5.3% (2.8%–9.6%)	0.5% (–0.2%–3.2%)	85	34.1% (24.9%–44.7%)	10.6% (5.5%–19.1%)	31.8% (22.8%–42.3%)	18.8% (11.6%–28.5%)	4.7% (1.5%–11.9%)	180	20.6% (15.30%–27.1%)	25.0% (19.2%–31.8%)	38.3% (31.5%–45.5%)	15.0% (10.5%–21.0%)	1.1% (0.0%–4.2%)
60-69	81	86.4% (77.11–92.4%)	8.6% (4.0%–17.0%)	3.7% (0.8%–10.8%)	1.2% (–0.4%–7.3%)	0.0% (–0.9%–5.4%)	44	27.3% (16.2%–42.0%)	11.4% (4.5%–24.4%)	20.5% (10.9%–34.7%)	38.6% (23.7%–53.4%)	2.3% (–3.7%–12.9%)	189	33.9% (27.5%–40.9%)	21.2% (15.9%–27.6%)	35.4% (29.0%–42.5%)	9.5% (6.0%–14.6%)	0.0% (–0.4%–2.4%)
70+	38	81.6% (66.3%–91.1%)	5.3% (0.5%–18.2%)	13.2% (5.3%–27.8%)	0.0% (–1.8%–10.9%)	0.0% (–1.8%–10.9%)	19	26.3% (11.5%–49.1%)	10.5% (1.7%–32.6%)	63.2% (40.9%–81.0%)	0.0% (–3.0%–19.8%)	0.0% (–3.0%–19.8%)	120	54.2% (45.3%–62.8%)	24.2% (17.3%–32.6%)	15.0% (9.6%–22.6%)	5.8% (2.6%–11.8%)	0.8% (–0.3%–5.0%)
<b>Anal intercourse (insertive partner)</b>																		
18-24	141	93.6% (88.2%–96.8%)	4.3% (–3.1%–85.1%)	1.4% (–0.3%–99.2%)	0.0% (–0.1%–99.7%)	0.7% (0.0%–100.0%)	102	84.3% (75.9%–90.2%)	10.8% (6.0%–18.4%)	3.9% (1.2%–10.0%)	1.0% (0.4%–5.9%)	0.0% (0.7%–4.4%)	23	82.6% (62.3%–93.6%)	13.0% (3.7%–33.0%)	4.3% (–0.9%–22.7%)	0.0% (–2.6%–16.9%)	0.0% (–2.6%–16.9%)
25-29	74	87.8% (78.3%–93.7%)	9.5% (–2.1%–87.0%)	1.4% (–0.6%–98.2%)	1.4% (–0.1%–99.7%)	0.0% (–0.1%–99.7%)	48	58.3% (44.3%–71.2%)	33.3% (21.6%–47.5%)	8.3% (2.8%–20.1%)	0.0% (–1.4%–0.8%)	0.0% (–1.4%–8.8%)	208	71.6% (66.1%–77.3%)	24.0% (18.7%–30.3%)	1.0% (0.0%–3.7%)	1.4% (0.3%–4.4%)	1.9% (0.6%–5.0%)
30-39	90	73.3% (63.3%–81.4%)	24.4% (0.2%–91.6%)	2.2% (–1.3%–95.5%)	0.0% (–0.1%–99.6%)	0.0% (0.0%–100.0%)	78	62.8% (51.7%–72.7%)	26.9% (18.3%–37.7%)	6.4% (2.4%–14.5%)	1.3% (–0.5%–7.6%)	2.6% (0.2%–9.4%)	226	80.5% (74.9%–85.2%)	18.1% (13.6%–23.7%)	0.9% (0.0%–3.4%)	0.0% (–0.3%–2.0%)	0.4% (–0.2%–2.7%)
40-49	172	79.1% (72.4%–84.5%)	14.0% (–1.3%–89.0%)	4.7% (–0.7%–97.5%)	1.2% (–0.3%–99.1%)	1.2% (–0.1%–99.8%)	87	59.8% (49.3%–69.5%)	32.2% (23.3%–42.6%)	6.9% (2.9%–14.5%)	1.1% (0.4%–6.8%)	0.0% (–0.8%–5.1%)	243	83.5% (78.3%–87.7%)	16.0% (11.9%–21.2%)	0.4% (–0.2%–2.5%)	0.0% (–0.3%–1.9%)	0.0% (–0.3%–1.9%)
50-59	193	85.5% (70.8%–89.8%)	13.5% (–1.5%–88.2%)	1.0% (–0.8%–97.5%)	0.0% (–0.1%–90.8%)	0.0% (0.0%–100.0%)	82	78.0% (67.9%–95.7%)	17.1% (10.3%–26.8%)	4.9% (1.5%–12.3%)	0.0% (–0.9%–5.4%)	0.0% (–0.9%–5.4%)	176	93.8% (89.0%–96.6%)	6.3% (3.4%–11.0%)	0.0% (–0.4%–2.6%)	0.0% (–0.4%–2.6%)	0.0% (–0.4%–2.6%)
60-69	80	97.5% (90.8%–99.8%)	2.5% (–3.4%–84.2%)	0.0% (–0.2%–99.5%)	0.0% (0.0%–100.0%)	0.0% (0.0%–100.0%)	44	88.6% (75.6%–95.5%)	2.3% (–0.7%–12.9%)	9.1% (3.0%–21.7%)	0.0% (–1.5%–9.6%)	0.0% (–1.5%–9.6%)	188	94.1% (89.7%–96.8%)	2.7% (1.0%–6.2%)	3.2% (1.3%–6.9%)	0.0% (–0.4%–2.4%)	0.0% (–0.4%–2.4%)
70+	38	97.4% (85.3%–100.7%)	2.5% (–3.4%–84.3%)	0.0% (–0.2%–99.5%)	0.0% (0.0%–100.0%)	0.0% (0.0%–100.0%)	14	78.6% (51.7%–93.2%)	21.4% (6.8%–48.3%)	0.0% (–3.6%–25.1%)	0.0% (–3.6%–25.1%)	0.0% (–3.6%–25.1%)	121	100.0% (96.3%–100.6%)	0.0% (–0.6%–3.7%)	0.0% (–0.6%–3.7%)	0.0% (–0.6%–3.7%)	0.0% (–0.6%–3.7%)

CI = confidence interval.

Source : Sexual Behaviors, Relationships, and Perceived Health Among Adult Men in the United States: Results from a National Probability Sample

DOI: 10.1111/j.1743-6109.2010.02009.x

J Sex Med 2010;7(suppl 5):291–304

Michael Reece, Debby Herbenick, Vanessa Schick, Stephanie A. Sanders, Brian Dodge, and J. Dennis Fortenberry